

Dependable Series™



If it's Russell supplied, you can depend on it!



Digital Controller with Audible/Visual Alarm
Energy Efficient and precise with peace of mind built-in.

Stainless Steel Interior and Exterior
Commercial Grade Stainless Steel stands up to rigours of everyday wear and tear.

Coated Cooling Coil
Protects vital cooling coil from acidic foodstuffs.

Exclusive, Automatic Stainless Steel Condensate Control System
Energy saving, recycles heat from cabinet to control condensate and increase performance.

Equipped with Door Locks and Commercial Casters
Secure and easy to move for cleaning and relocation.

Recessed Door Handles
Eliminates the hassle and damage of exterior mounted handles.

Coved Corner Interior
Sanitary Ease of Cleaning.

Cassette®
Exclusive HABCO® refrigeration technology built-into every Dependable Series™ Commercial Refrigerator.

Platinum Rewards **Partner Brand**



RUSSELL *Dependable Series™*

Common Features & Benefits

Commercial Grade
Stainless Steel.

Cabinets structurally foamed-
in-place with CFC/HCFC-Free
Polyurethane Insulation.

Base Mounted Refrigeration
provides improved ergonomics.

Commercial Duty, Locking Swivel
Casters.

Coated Cooling Coil is corrosion
resistant to protect against the
demands of commercial applications.

Energy-Balanced™
Refrigeration System.

- Digital Controller precisely monitors refrigeration system for optimal, energy efficient performance. Automatic defrost with audible and visual alarms.
- Long-life, high efficiency unit bearing motors.

Energy Efficient T8 Lighting
on Glass Doors and Automatic
Interior Lighting on Solid Doors.

Coved-Corner Interior for ease of
cleaning and improved sanitation.

Lint-Tolerant condenser
coil operates in the coolest
environment allowing optimal
heat exchange air flow.

Automatic, Stainless Steel Condensate Control
System evaporates condensate as it occurs
and pre-cools refrigerant for superior
performance and longevity.

SE42SXG Slider Shown



HABCO® Exclusive Cassette® is standard equipment on Dependable Series™ Refrigerators. Long respected for quality, performance and value, the Cassette® self-contained refrigeration system ensures return on investment long after your purchase. Simply remove the Cassette® from work area for maintenance, cleaning or service and enjoy minimal interruption while maintaining a more sanitary environment. Completely Front-Breathing, Dependable Series™ Refrigerators can be placed against rear wall saving valuable aisle space while providing easy access to refrigeration system for maintenance and service.

Commercial Refrigerators



SE18SA



SE46SA

Solid Door

- Stainless Steel Xterior™ Front and Sides
- Stainless Steel Interior with Coved Corner Construction
- Cassette® Front Breathing Refrigeration
- Digitally Controlled for 1°C - 3.3°C
- Auto-actuated Interior Light
- Easy-Mount, Reversible On-Location, Single Doors and Locks
- Hold Open for Loading and Spring-Back Protection on Single Door
- Recessed Door Handles
- Included Door Locks
- Included Casters



SE18SXG




SE42SXG Slider

Glass Door

- Stainless Steel Xterior™ Front and Sides
- White, Pre-Coated Aluminum Interior with Coved Corner Construction and Stainless Steel Floor
- Cassette® Front Breathing Refrigeration
- Digitally Controlled for 1°C - 3.3°C
- Fluorescent Interior T8 Lighting with Switch
- High Efficiency Low-E Glass
- Slider features Easy-Glide top riding sliding doors and insulated door track
- Easy Mount, On-Location Reversible Single Door
- Hold Open for Loading and Spring-Back Protection on Single Door
- Optional Door Locks
- Included Casters





MODELS	DOORS	SHELVES	LOCKS	WIDTH* CM/IN	DEPTH** CM/IN	HEIGHT*** CM/IN	COLD SPACE™ LITRES/CU.FT	NIRCAN/CSA VERIFIED VOLUME LITRES/CU.FT	HORSEPOWER Watts • HP	ELECTRICAL†	SHIP WEIGHT KG/LBS
COMMERCIAL REFRIGERATORS - STAINLESS XTERIOR™ & INTERIOR											
SOLID SWING DOOR											
SE18SA	1	3	STD	61 / 23.9	61 / 24	198 / 78	487 / 17.2	397 / 14.02	186 • 1/4	115V/60Hz/2.7A - NEMA 5-15P	120 / 265
SE46SA	2	6	STD	121 / 47.5	79 / 31	198 / 78	1302.6 / 46	1039.8 / 36.72	373 • 1/2	115V/60Hz/6.8A - NEMA 5-15P	234 / 515
COMMERCIAL REFRIGERATORS - STAINLESS XTERIOR™											
GLASS SWING DOOR											
SE18SXG	1	3	OPT	61 / 23.9	61 / 24	198 / 78	487 / 17.2	397 / 14.02	186 • 1/4	115V/60Hz/2.7A - NEMA 5-15P	104 / 230
GLASS SLIDING DOOR											
SE42SXG	2	6	OPT	121 / 47.5	79 / 31	198 / 78	1189.3 / 42	1017.1 / 35.92	373 • 1/2	115V/60Hz/6.8A - NEMA 5-15P	205 / 452
COMMERCIAL FREEZERS - STAINLESS XTERIOR™ & INTERIOR											
SOLID SWING DOOR											
SF18SA	1	3	STD	61 / 23.9	61 / 24	198 / 78	487 / 17.2	397 / 14.02	246 • 1/3	115V/60Hz/8.2A - NEMA 5-15P	127 / 280
SF46SA	2	6	STD	121 / 47.5	79 / 31	198 / 78	1302.6 / 46	1044 / 36.87	559 • 3/4	115V/60Hz/10.5A - NEMA 5-15P	244 / 537

* ADD 1.91CM (3/4") WIDTH FOR CASTERS. ** ADD 1.27CM (1/2") DEPTH FOR POWER CORD. *** ADD 12.07CM (4.75") HEIGHT FOR CASTERS.
Design Specifications: Energy verified and commercially designed for applications within 23.9°C (75°F) ambient operating conditions.

Specifications Subject to Change without Notice.

† Commercial Refrigerators and Freezers are designed for maximum duty and require dedicated 15 Amp electrical circuits to maintain warranty.



Contact your Local Russell Branch for Sales and Service

www.russellfood.ca

Victoria, BC
2122 Douglas Street
V8T 4L3
250-386-3161

Edmonton, AB
10225-106th Street
T5J 1H6
780-423-4221

Saskatoon, SK
1202 Quebec Avenue
S7K 1X6
306-652-7777

Winnipeg, MB
951 Erin Street
R3G 2W8
204-775-8835

Thunder Bay, ON
441 Hardisty Street
P7C 3G9
807-623-2544

Toronto, ON
70 Coronet Road
M8Z 2M1
416-207-9000

Montréal, QC
5485 Des Grande Prairies
H2R 1X2
514-382-1160

Vancouver, BC
1255 Venables Street
V6A 3X6
604-253-6611

Calgary, AB
5707-4th Street S.E.
T2H 1K8
403-253-1383

Regina, SK
1475 Rose Street
S4R 2A1
306-525-3333

Sault-Ste-Marie, ON
14 Queen Street W.
P6A 1A2
705-942-7311

London, ON
517 Bathurst Street
N6B 1P5
519-432-6311

Ottawa, ON
450 Preston Street
K1S 4N6
613-238-6555

Halifax, NS
5548 Russell Street
B3K 1X2
902-454-7461

VERIFIED



Energy
Performance
Rendement
Énergétique

VÉRIFIÉ

CFC-FREE



HCFC-FREE



CANADIAN MADE



Commercial Freezers

All Freezers

- Stainless Steel Xterior™ Front and Sides
- Stainless Steel Interior with covered corner construction
- Digitally Controlled for -23.3°C
- Auto-actuated Interior Light
- Cooling Fan Delay on Door Opening
- Automatic Defrost can be manually activated
- Easy-Mount, Reversible On-Location, Single Doors and Locks
- Hold Open for Loading and Spring-Back Protection on Single Door
- Recessed Door Handles
- Included Door Locks
- Included Casters



SF18SA



SF46SA

Special Inspection by CSA International

Dependable Series™ Refrigerators and Freezers are designed and manufactured to the highest commercial standards.

Russell has identified key features that commercial applications demand and coupled them with HABCO®'s legacy of quality design and manufacturing to provide a complete commercial refrigeration package.

Energy-Balanced™ for optimum efficiency and performance, the Dependable Series™ is the quality choice for commercial reach-in applications.

Russell Food Equipment Ltd., Dependable Series™ and respective Graphic Designs are trademarks of Russell Food Equipment Ltd.

© HABCO® Beverage Systems Inc. "HABCO™" and "Cassette™" are registered trademarks of HABCO® Beverage Systems Inc. "Cold Space™", "Xterior™", "Energy Balanced™" and Graphic Designs are trademarks of HABCO® Beverage Systems Inc. Used with Permission. Domestic and International Patents.

10707089



Commercially Manufactured